

SAFETY DATA SHEET

This safety data sheet was created pursuant to the requirements of: US OSHA Hazard Communication Standard (29 CFR 1910.1200)

Complies with OSHA GHS Revision 7 of 2024.

Issuing Date 19-Nov-2024 Revision Date 19-Nov-2024 Version 1

1. Identification

Product identifier

Product Name Polyurethane Liquid Flashing Cement

Other means of identification

Product Code AIM_370

Synonyms SEALANT

Recommended use of the chemical and restrictions on use

Recommended UseSealant Used to install, repair or rebuild roof flashings at parapet walls, gravelstops, stacks,

vents, monitors and similar applications.

Restrictions on use For exterior use only. Do not use indoors.

Details of the supplier of the safety data sheet

Supplier Address

American Industrial Manufacturers of Building Materials W. Park Blvd Suite 306-366 Plano, Texas 75093 (214) 254-4720

Emergency telephone number

Company Phone Number (214) 254-4720

Emergency Telephone Call CHEMTREC Day or Night:

Within USA and Canada: 1-800 424-9300

2. Hazard(s) identification

Classification

Skin sensitization	Category 1
Carcinogenicity	Category 1A

Hazards not otherwise classified (HNOC)

Not applicable.

Label elements



Danger

Hazard statements

May cause an allergic skin reaction.

May cause cancer.

Precautionary Statements - Prevention

Do not handle until all safety precautions have been read and understood.

Wear protective gloves/clothing and eye/face protection.

Avoid breathing dust/fume/gas/mist/vapors/spray.

Contaminated work clothing must not be allowed out of the workplace.

Precautionary Statements - Response

IF exposed or concerned: Get medical advice/attention.

IF ON SKIN: Wash with plenty of water and soap.

If skin irritation or rash occurs: Get medical advice/attention.

Wash contaminated clothing before reuse.

Precautionary Statements - Storage

Store in a closed container.

Store in a well-ventilated place.

Precautionary Statements - Disposal

Disposal should be in accordance with applicable local, regional, and national laws and regulations...

Other Information

No information available.

3. Composition/information on ingredients

Substance

Not applicable.

Mixture

Common name Sealant and Caulk.

Synonyms SEALANT.

Chemical nature Mixture of moisture reactive polymers, plasticizers and fillers.

Chemical name	CAS No.	Weight-%	Trade secret
Calcium Carbonate	1317-65-3	53.568	*
Titanium Dioxide	13463-67-7	4	*
Quartz	14808-60-7	0.432	*

^{*}The exact percentage (concentration) of composition has been withheld as a trade secret.

4. First-aid measures

Description of first aid measures

General advice IF exposed or concerned: Get medical advice/attention. Show this safety data sheet to the

doctor in attendance.

Inhalation Remove to fresh air.

Eye contact IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing. Get medical attention if irritation develops and

persists.

Skin contact Wash with soap and water. May cause an allergic skin reaction. In the case of skin irritation

or allergic reactions see a physician.

Ingestion Do NOT induce vomiting. Get medical attention if symptoms occur. Not an expected route of

exposure.

Self-protection of the first aider Avoid breathing vapors or mists. Avoid contact with eyes. Avoid contact with skin. First

aider: Pay attention to self-protection.

Most important symptoms and effects, both acute and delayed

Symptoms Itching. Rashes. Hives.

Effects of Exposure May cause cancer.

Indication of any immediate medical attention and special treatment needed

5. Fire-fighting measures

Suitable Extinguishing Media Dry chemical, CO2, sand, earth, water spray or regular foam.

Unsuitable extinguishing media Do not scatter spilled material with high pressure water streams.

Specific hazards arising from the

chemical

May cause sensitization by skin contact.

Hazardous combustion products Thermal decomposition (burning) may release irritating, corrosive and/or toxic gases, vapors

and fumes.

Explosion data

Sensitivity to mechanical impact None.

Sensitivity to static discharge May be ignited by heat, sparks or flames.

Special protective equipment and

precautions for fire-fighters

Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear.

Use personal protection equipment.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Personal precautions Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak. Avoid

contact with skin, eyes or clothing. Ensure adequate ventilation. Use personal protective

equipment as required.

Other information Refer to protective measures listed in Sections 7 and 8.

Methods and material for containment and cleaning up

Methods for containment Absorb with earth, sand or other non-combustible material and transfer to containers for

later disposal.

Methods for cleaning upClean contaminated surface thoroughly.

Prevention of secondary hazards Clean contaminated objects and areas thoroughly observing environmental regulations.

7. Handling and storage

Precautions for safe handling

Advice on safe handling Handle in accordance with good industrial hygiene and safety practice. Avoid contact with

skin, eyes or clothing. Ensure adequate ventilation. In case of insufficient ventilation, wear suitable respiratory equipment. Do not eat, drink or smoke when using this product. Take off

contaminated clothing and wash before reuse.

Conditions for safe storage, including any incompatibilities

Storage Conditions Keep from freezing.

8. Exposure controls/personal protection

Control parameters

Exposure Limits No ACGIH or OSHA PEL is assigned to this mixture.

This product, as supplied, is not believed to contain any hazardous material that exceeds

exposure limits established by OSHA.

Exposure limits for the component materials are shown below.

Chemical name	Chemical name ACGIH TLV OSHA PEL		NIOSH
Calcium Carbonate	-	TWA: 15 mg/m³ total dust	TWA: 10 mg/m³ total dust
1317-65-3		TWA: 5 mg/m³ respirable	TWA: 5 mg/m³ respirable
		fraction	dust
		(vacated) TWA: 15 mg/m ³	
		total dust	
		(vacated) TWA: 5 mg/m ³	
		respirable fraction	
Titanium Dioxide	TWA: 0.2 mg/m³ nanoscale	TWA: 15 mg/m³ total dust	IDLH: 5000 mg/m ³
13463-67-7	respirable particulate matter	(vacated) TWA: 10 mg/m ³ total dust	TWA: 2.4 mg/m ³ CIB 63 fine
	TWA: 2.5 mg/m³ finescale respirable particulate matter		TWA: 0.3 mg/m³ CIB 63
			ultrafine, including engineered
			nanoscale
Quartz	TWA: 0.025 mg/m ³ respirable		IDLH: 50 mg/m³ respirable
14808-60-7	particulate matter	TWA: 50 µg/m³ excludes	dust
		construction work, agricultural	
		operations, and exposures	dust
		that result from the processing	
		of sorptive clays	
		(vacated) TWA: 0.1 mg/m ³	
		respirable dust	

: (250)/(%SiO2 + 5) mppcf
TWA respirable fraction
: (10)/(%SiO2 + 2) mg/m³
TWA respirable fraction

Appropriate engineering controls

Engineering controls None under normal use conditions.

Individual protection measures, such as personal protective equipment

Eye/face protection Avoid contact with eyes.

Hand protection Wear suitable gloves.

Skin and body protectionWear suitable protective clothing.

Respiratory protection No protective equipment is needed under normal use conditions. If exposure limits are

exceeded or irritation is experienced, ventilation and evacuation may be required.

General hygiene considerations Do not eat, drink or smoke when using this product. Wash hands before breaks and

immediately after handling the product.

9. Physical and chemical properties

Information on basic physical and chemical properties

Physical state Liquid Appearance Viscous

Color White; Black; Grey

Odor Lime

Odor threshold Negligible odor.

<u>Property</u> <u>Values</u> <u>Remarks • Method</u>

pH Not applicable 7.0

pH (as aqueous solution)

None known

Melting point/freezing point None / 0 None / 32 Melting Point is not applicable. Freezing points are

shown.

Boiling point / boiling range > NA

Flash point N/A Non Flammable
Evaporation rate The evaporation rate of the water Not applicable

component of this emulsion product is dependent upon: 1) The temperature of the water at the air-water surface; 2) The humidity of the air; 3) The area of

the air-water surface; 4) The temperature of the air.

Flammability (solid, gas) Non Flammable

Flammability Limit in Air Not flammable

Upper flammability limit: Not applicable Lower flammability limit: Not applicable

Vapor pressure 2.33 (kPa) Not applicable

Vapor density 5.3 Where: Air = 1 at 68 degrees F (20 degrees C)

Relative density 1.6 Water = 1g/ml

Water solubility

No data available Dispersible

Reacts with water to form carbon dioxide

Solubility(ies)No data available.InsoluablePartition coefficientNo data available.No data available.Autoignition temperatureNo data available

Decomposition temperature

Kinematic viscosity

Dynamic viscosity No data available. @ 25 °C

Other information

Explosive propertiesOxidizing properties
No information available
No information available

Softening point Not applicable

Molecular weight N/A

VOC Content (%)

Density

Bulk density

Less than 10 g/l
13.2 lb/gal
Not applicable

10. Stability and reactivity

Reactivity No information available.

Chemical stability Stable under normal conditions.

Possibility of hazardous reactions None under normal processing.

Hazardous polymerization Hazardous polymerization does not occur.

Conditions to avoid Keep away from open flames, hot surfaces and sources of ignition.

Incompatible materialsNone known based on information supplied.

Hazardous decomposition products Combustion may produce carbon monoxide, carbon dioxide, and other asphyxiants.

11. Toxicological information

Information on likely routes of exposure

Product Information The product has not been tested.

Inhalation Specific test data for the substance or mixture is not available. Inhalation of vapors in high

concentration may cause irritation of respiratory system.

Eye contact Specific test data for the substance or mixture is not available. Causes eye irritation.

Skin contact Specific test data for the substance or mixture is not available. May cause sensitization by

skin contact. Repeated or prolonged skin contact may cause allergic reactions with

susceptible persons. May be harmful in contact with skin.

Ingestion Specific test data for the substance or mixture is not available. May be harmful if swallowed

and enters airways. Not an expected route of exposure.

Symptoms related to the physical, chemical and toxicological characteristics

Symptoms May cause allergic skin reaction.

Acute toxicity

Numerical measures of toxicity

The following values are calculated based on chapter 3.1 of the GHS document

 ATEmix (oral)
 4,011.40 mg/kg

 ATEmix (dermal)
 2,280.00 mg/kg

 ATEmix (inhalation-gas)
 99,999.00 ppm

 ATEmix (inhalation-vapor)
 99,999.00 mg/l

ATEmix (inhalation-dust/mist) 1,770.60 mg/l

Component Information

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Titanium Dioxide	Titanium Dioxide > 10000 mg/kg (Rat)		= 5.09 mg/L (Rat) 4 h
13463-67-7			-

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation No information available.

Serious eye damage/eye irritation No information available.

Respiratory or skin sensitization May cause an allergic skin reaction.

Germ cell mutagenicity No information available.

Carcinogenicity Contains a known or suspected carcinogen. Classification based on data available for

ingredients. May cause cancer.

The table below indicates whether each agency has listed any ingredient as a carcinogen.

Chemical name	ACGIH	IARC	NTP	OSHA
Titanium Dioxide 13463-67-7	A3	Group 2B	-	Х
Quartz 14808-60-7	A2	Group 1	Known	Х

Legend

ACGIH (American Conference of Governmental Industrial Hygienists)

A2 - Suspected Human Carcinogen

A3 - Animal Carcinogen

IARC (International Agency for Research on Cancer)

Group 1 - Carcinogenic to Humans

Group 2B - Possibly Carcinogenic to Humans

NTP (National Toxicology Program)

Known - Known Carcinogen

Occupational Safety and Health Administration of the US Department of Labor

X - Present

Reproductive toxicity No information available.

Developmental ToxicityNone known for product as a whole.

Teratogenicity None known.

STOT - single exposure No information available.

STOT - repeated exposureNo information available.

Target organ effects Respiratory system, Eyes, Skin, Lungs.

Aspiration hazard No information available.

Other adverse effects N/A.

Interactive effects No information available.

12. Ecological information

Ecotoxicity None known for product as a whole.

Persistence and degradability N/A.

Bioaccumulation There is no data for this product.

Other adverse effects No information available.

13. Disposal considerations

Waste treatment methods

Waste from residues/unused

products

Dispose of in accordance with local regulations.

Contaminated packaging Do not reuse empty containers.

14. Transport information

Note: This material is not subject to regulation as a hazardous material for shipping

DOTNot regulated.TDGNot regulated.MEXNot regulated.ICAO (air)Not regulated.IATANot regulated.

IMDG Not regulated.

15. Regulatory information

International Inventories

TSCA All of the components of this product are listed on the US TSCA (Toxic Substances Control

Act) Inventory or are exempt.

DSL/NDSL All of the components of this product are listed on the DSL.

EINECS/ELINCS All components are listed.

TCSI Contact supplier for inventory compliance status.

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

NZIoC - New Zealand Inventory of Chemicals

TCSI - Taiwan Chemical Substance Inventory

US Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

SARA 311/312 Hazard Categories

Should this product meet EPCRA 311/312 Tier reporting criteria at 40 CFR 370, refer to Section 2 of this SDS for appropriate classifications.

CWA (Clean Water Act)

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42).

CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material.

US State Regulations

California Proposition 65

This product contains the following Proposition 65 chemicals:.

Chemical name	California Proposition 65	
Titanium Dioxide - 13463-67-7	Carcinogen	
Quartz - 14808-60-7	Carcinogen	

U.S. State Right-to-Know Regulations

Chemical name	New Jersey	Massachusetts	Pennsylvania
Calcium Carbonate	X	X	X
1317-65-3			
Titanium Dioxide 13463-67-7	X	X	X
Quartz 14808-60-7	X	X	X

U.S. EPA Label Information

EPA Pesticide Registration Number Not applicable

16. Other information

NFPAHealth hazards2Flammability0Instability0Special hazards-HMISHealth hazards2 *Flammability0Physical hazards0Personal protection

Chronic Hazard Star Legend *= Chronic Health Hazard

Key or legend to abbreviations and acronyms used in the safety data sheet

Legend

SVHC: Substances of Very High Concern for Authorization:
PBT: Persistent, Bioaccumulative, and Toxic (PBT) Substances
vPvB: Very Persistent and very Bioaccumulative (vPvB) Substances

STOT: Specific Target Organ Toxicity ATE: Acute Toxicity Estimate LC50: 50% Lethal Concentration

LD50: 50% Lethal Dose

Legend Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

TWA TWA (time-weighted average) STEL STEL (Short Term Exposure Limit)

Ceiling Maximum limit value * Skin designation

+ Sensitizers

Key literature references and sources for data used to compile the SDS

Agency for Toxic Substances and Disease Registry (ATSDR) U.S. Environmental Protection Agency ChemView Database

European Food Safety Authority (EFSA)

Environmental Protection Agency

Acute Exposure Guideline Level(s) (AEGL(s))

U.S. Environmental Protection Agency Federal Insecticide, Fungicide, and Rodenticide Act

U.S. Environmental Protection Agency High Production Volume Chemicals

Food Research Journal

Hazardous Substance Database

International Uniform Chemical Information Database (IUCLID)

National Institute of Technology and Evaluation (NITE)

Australia National Industrial Chemicals Notification and Assessment Scheme (NICNAS)

NIOSH (National Institute for Occupational Safety and Health)

National Library of Medicine's ChemID Plus (NLM CIP)

National Library of Medicine's PubMed database (NLM PUBMED)

U.S. National Toxicology Program (NTP)

New Zealand's Chemical Classification and Information Database (CCID)

Organization for Economic Co-operation and Development Environment, Health, and Safety Publications Organization for Economic Co-operation and Development High Production Volume Chemicals Program

Organization for Economic Co-operation and Development Screening Information Data Set

World Health Organization

Prepared By AIM Administrative Services Department.

Issuing Date 19-Nov-2024 **Revision Date** 19-Nov-2024

Revision Note Revised to comply with OSHA GHS Revision 7 of 2024.

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.