

SAFETY DATA SHEET

This safety data sheet was created pursuant to the requirements of: US OSHA Hazard Communication Standard (29 CFR 1910.1200)

Complies with OSHA GHS Revision 7 of 2024.

Issuing Date 22-Jan-2025 Revision Date 22-Jan-2025 Version 1

1. Identification

Product identifier

Product Name Asphalt Emulsion Filler Sealer

Other means of identification

Product Code AIM 970

Synonyms SEALANT

Recommended use of the chemical and restrictions on use

Recommended Use An asphalt sealer that fills hairline cracks and provides a protective coating to asphalt

driveway surfaces.

Restrictions on use For exterior use only. Do not use indoors.

Details of the supplier of the safety data sheet

Supplier Address

American Industrial Manufacturers of Building Materials W. Park Blvd Suite 306-366 Plano, Texas 75093 (214) 254-4720

Emergency telephone number

Company Phone Number (214) 254-4720

Emergency Telephone Call CHEMTREC Day or Night:

Within USA and Canada: 1-800 424-9300 Outside USA and Canada: 1-703-527-3887

2. Hazard(s) identification

Classification

Acute toxicity - Inhalation (Dusts/Mists)	Category 2
Carcinogenicity	Category 2

Hazards not otherwise classified (HNOC)

Not applicable.

Label elements



Danger

Hazard statements

Suspected of causing cancer.

Precautionary Statements - Prevention

Do not handle until all safety precautions have been read and understood.

Use only outdoors or in a well-ventilated area.

Precautionary Statements - Response

IF exposed or concerned: Get medical advice/attention.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

If eye irritation persists: Get medical advice/attention.

IF ON SKIN: Wash with plenty of water and soap.

If skin irritation occurs: Get medical advice/attention.

Get medical help if you feel unwell.

Rinse mouth.

IF SWALLOWED: Call a POISON CENTER or doctor if you feel unwell.

Precautionary Statements - Storage

Keep From Freezing.

Precautionary Statements - Disposal

Disposal should be in accordance with applicable local, regional, and national laws and regulations...

Unknown acute toxicity

21 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (dust/mist).

Other Information

No information available.

3. Composition/information on ingredients

Substance

Not applicable.

<u>Mixture</u>

Common name Asphalt Emulsion Driveway Sealer.

Synonyms SEALANT.

Chemical nature Aqueous Mixture.

Chemical name	CAS No.	Weight-%	Trade secret
Asphalt	8052-42-4	20-25	*
Limestone	1317-65-3	15-20	*
Bentonite	1302-78-9	1-5	*

^{*}The exact percentage (concentration) of composition has been withheld as a trade secret.

4. First-aid measures

Description of first aid measures

General advice No hazards which require special first aid measures. IF exposed or concerned: Get medical

advice/attention.

Inhalation No hazards which require special first aid measures. IF exposed or concerned: Get medical

advice/attention.

Eye contact IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing. If symptoms persist, call a physician.

Skin contact IF ON SKIN: Wash with plenty of soap and water. If skin irritation persists, call a physician.

Ingestion Rinse mouth. Get medical attention if symptoms occur. Not an expected route of exposure.

Self-protection of the first aiderUse personal protective equipment as required. First aider: Pay attention to self-protection.

Most important symptoms and effects, both acute and delayed

Symptoms No information available.

Effects of Exposure No information available.

Indication of any immediate medical attention and special treatment needed

5. Fire-fighting measures

surrounding environment.

Unsuitable extinguishing media Do not scatter spilled material with high pressure water streams.

Specific hazards arising from the

chemical

Non-combustible.

Hazardous combustion products N/A.

Explosion data

Sensitivity to mechanical impact None.

Sensitivity to static discharge None.

Special protective equipment and precautions for fire-fighters

Use personal protection equipment.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Personal precautions Avoid contact with skin, eyes or clothing.

Methods and material for containment and cleaning up

Methods for containment Prevent further leakage or spillage if safe to do so.

Methods for cleaning up Pick up and transfer to properly labeled containers.

Prevention of secondary hazards Clean contaminated objects and areas thoroughly observing environmental regulations.

7. Handling and storage

Precautions for safe handling

Advice on safe handling Handle in accordance with good industrial hygiene and safety practice. Do not eat, drink or

smoke when using this product. Take off contaminated clothing and wash before reuse.

Conditions for safe storage, including any incompatibilities

Storage Conditions Keep from freezing.

8. Exposure controls/personal protection

Control parameters

Exposure Limits No ACGIH or OSHA PEL is assigned to this mixture.

This product, as supplied, is not believed to contain any hazardous material that exceeds

exposure limits established by OSHA.

Exposure limits for the component materials are shown below.

Chemical name	ACGIH TLV OSHA PEL		NIOSH
Asphalt 8052-42-4	TWA: 0.5 mg/m³ Benzene-soluble aerosol fume, inhalable particulate matter	-	Ceiling: 5 mg/m³ fume 15 min
Limestone 1317-65-3	-	TWA: 15 mg/m³ total dust TWA: 5 mg/m³ respirable fraction (vacated) TWA: 15 mg/m³ total dust (vacated) TWA: 5 mg/m³ respirable fraction	TWA: 10 mg/m³ total dust TWA: 5 mg/m³ respirable dust
Bentonite 1302-78-9	TWA: 1 mg/m³ respirable particulate matter	-	-

Biological occupational exposure limits

Chemical name	ACGIH
Asphalt	2.5 µg/L - urine (1-Hydroxypyrene with hydrolysis) - end of
8052-42-4	shift at end of workweek

Appropriate engineering controls

Engineering controls None under normal use conditions.

Individual protection measures, such as personal protective equipment

Eye/face protection Avoid contact with eyes.

Hand protection Wear suitable gloves.

Skin and body protectionLong sleeved clothing.

Respiratory protection No protective equipment is needed under normal use conditions. If exposure limits are

exceeded or irritation is experienced, ventilation and evacuation may be required.

General hygiene considerations Avoid contact with skin, eyes or clothing. Do not eat, drink or smoke when using this

product. Remove and wash contaminated clothing and gloves, including the inside, before re-use. Regular cleaning of equipment, work area and clothing is recommended. Wash

hands before breaks and immediately after handling the product.

9. Physical and chemical properties

Information on basic physical and chemical properties

Physical state Liquid
Appearance Viscous
Color Black
Odor Low

Odor threshold Negligible odor.

<u>Property</u> <u>Values</u> <u>Remarks • Method</u>

pH Not applicable 7.

pH (as aqueous solution)

Melting point/freezing point None / 0 None / 32 Melting Point is not applicable. Freezing points are

shown.

None known

Boiling point / boiling range > >100 >212

Flash point Not applicable Non Flammable

Evaporation rateThe evaporation rate of the water

No data available. Evaporation rate is dependent

component of this emulsion product is upon atmospheric conditions.

dependent upon: 1) The temperature of the water at the air-water surface; 2) The humidity of the air; 3) The area of

the air-water surface; 4) The temperature of the air.

Flammability (solid, gas) Non Flammable

Flammability Limit in Air Not flammable

Upper flammability limit: Not applicable Lower flammability limit: Not applicable

Vapor pressure 2.33 (kPa) @ 20 °C

Vapor density 5.3 Where: Air = 1 at 68 degrees F (20 degrees C)

Relative density 1.20 Water = 1g/ml

Water solubility No data available Dispersible Reacts with water to form carbon dioxide

Solubility(ies)

No data available.

Not applicable

Autoignition temperature Decomposition temperature

Kinematic viscosity

Dynamic viscosity No data available. @ 25 °C

Other information

Explosive properties No information available Oxidizing properties No information available

Softening point Not applicable

Molecular weight N/A

VOC Content (%) Less than 50 g/l

Density 9.8 to 10.2 lb/gal **Bulk density** Not applicable

10. Stability and reactivity

Reactivity No information available.

Chemical stability Stable under normal conditions.

Possibility of hazardous reactions None under normal processing.

Hazardous polymerization Hazardous polymerization does not occur.

Conditions to avoid Keep from freezing.

Incompatible materialsNone known based on information supplied.

Hazardous decomposition products None known based on information supplied.

11. Toxicological information

Information on likely routes of exposure

Product Information The IARC Monograph (Vol. 103, 2013, Bitumen and Bitumen Emissions) defines Asphalt as

'Group 2B, Possible Carcinogen to Humans'. This definition is based on studies of exposure to Asphalt fumes at elevated temperatures. The Monograph states that temperature plays an important role in determining the degree of exposure and also the carcinogenic potential of bitumen emissions. This same Monograph states that Asphalt is non volatile at ambient temperature. There is no data presented in the Monograph to demonstrate that Asphalt at ambient temperature is considered a carcinogen. Since the normal use of this product is at ambient temperature, the Asphalt used in this product is not listed as a carcinogen. No other

national or international agency has defined Asphalt as a carcinogen.

Inhalation Specific test data for the substance or mixture is not available.

Eye contact Specific test data for the substance or mixture is not available.

Skin contact Specific test data for the substance or mixture is not available.

Ingestion Specific test data for the substance or mixture is not available.

Symptoms related to the physical, chemical and toxicological characteristics

Symptoms None known.

Acute toxicity Fatal if inhaled.

Numerical measures of toxicity

The following values are calculated based on chapter 3.1 of the GHS document

 ATEmix (oral)
 17,083.30 mg/kg

 ATEmix (dermal)
 7,523.80 mg/kg

 ATEmix (inhalation-gas)
 99,999.00 ppm

 ATEmix (inhalation-vapor)
 99,999.00 mg/l

 ATEmix (inhalation-dust/mist)
 0.355 mg/l

Unknown acute toxicity

21 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (dust/mist)

Component Information

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Asphalt 8052-42-4	> 5000 mg/kg (Rat)	> 2000 mg/kg (Rabbit)	> 94.4 mg/m ³ (Rat) 4.5 h
Bentonite 1302-78-9	> 5000 mg/kg (Rat)	-	-

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritationNo information available.

Serious eye damage/eye irritation No information available.

Respiratory or skin sensitization No information available.

Germ cell mutagenicity No information available.

Carcinogenicity Contains a known or suspected carcinogen. Classification based on data available for

ingredients. Suspected of causing cancer.

The table below indicates whether each agency has listed any ingredient as a carcinogen.

Chemical name	ACGIH	IARC	NTP	OSHA
Asphalt	-	Group 2B	-	Х
8052-42-4				

Legend

IARC (International Agency for Research on Cancer)

Group 2B - Possibly Carcinogenic to Humans

Occupational Safety and Health Administration of the US Department of Labor

X - Present

Reproductive toxicity No information available.

Developmental ToxicityNone known for product as a whole.

Teratogenicity None known.

STOT - single exposure No information available.

STOT - repeated exposureNo information available.

Target organ effects Respiratory system, Eyes, Skin.

Aspiration hazard No information available.

Other adverse effects N/A.

Interactive effects No information available.

12. Ecological information

Ecotoxicity

Toxicological testing has not been performed for this product overall. Available toxicological data for individual ingredients is summarized below.

Chemical name	Algae/aquatic plants	Fish	Toxicity to microorganisms	Crustacea
Bentonite 1302-78-9	-	LC50: =19000mg/L (96h, Oncorhynchus mykiss)	-	-

Persistence and degradability

N/A.

Bioaccumulation

Component Information

· · · · · · · · · · · · · · · · · ·	
Chemical name	Partition coefficient
Asphalt	6
8052-42-4	

Other adverse effects

No information available.

13. Disposal considerations

Waste treatment methods

Waste from residues/unused

products

Dispose of in accordance with local regulations.

Contaminated packaging Do not reuse empty containers.

14. Transport information

Note: This material is not subject to regulation as a hazardous material for shipping

DOT Not regulated.TDG Not regulated.

MEX Not regulated.

ICAO (air) Not regulated.

<u>IATA</u> Not regulated.

IMDG Not regulated.

15. Regulatory information

International Inventories

TSCA All of the components of this product are listed on the US TSCA (Toxic Substances Control

Act) Inventory or are exempt.

Chemical name	CAS No.	Inventory Listing Status	Commercial Activity Designation
Water	7732-18-5	Present	Active
Asphalt	8052-42-4	Present	Active
Limestone	1317-65-3	Present	Active
Bentonite	1302-78-9	Present	Active
Alkyd Amine	61791-26-2	Present	Active

DSL/NDSL All of the components of this product are listed on the DSL.

EINECS/ELINCS All components are listed.

TCSI Contact supplier for inventory compliance status.

Legend

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

NZIoC - New Zealand Inventory of Chemicals

TCSI - Taiwan Chemical Substance Inventory

US Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

SARA 311/312 Hazard Categories

Should this product meet EPCRA 311/312 Tier reporting criteria at 40 CFR 370, refer to Section 2 of this SDS for appropriate classifications.

CWA (Clean Water Act)

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42).

CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material.

US State Regulations

California Proposition 65

This product does not contain any Proposition 65 chemicals.

U.S. State Right-to-Know Regulations

Chemical name	New Jersey	Massachusetts	Pennsylvania
Water	-	-	X
7732-18-5			

Asphalt 8052-42-4	Х	Х	Х
Limestone 1317-65-3	Х	Х	Х

U.S. EPA Label Information

EPA Pesticide Registration Number Not applicable

16. Other information

NFPA Health hazards 4 Flammability 0 Instability 0 Special hazards - Health hazards 4 Flammability 0 Physical hazards 0 Personal protection -

Chronic Hazard Star Legend *= Chronic Health Hazard

Key or legend to abbreviations and acronyms used in the safety data sheet

Legend

SVHC: Substances of Very High Concern for Authorization:
PBT: Persistent, Bioaccumulative, and Toxic (PBT) Substances
vPvB: Very Persistent and very Bioaccumulative (vPvB) Substances

STOT: Specific Target Organ Toxicity ATE: Acute Toxicity Estimate LC50: 50% Lethal Concentration

LD50: 50% Lethal Dose

Legend Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

TWA TWA (time-weighted average) STEL STEL (Short Term Exposure Limit)

Ceiling Maximum limit value * Skin designation

+ Sensitizers

Key literature references and sources for data used to compile the SDS

Agency for Toxic Substances and Disease Registry (ATSDR) U.S. Environmental Protection Agency ChemView Database

European Food Safety Authority (EFSA)

Environmental Protection Agency

Acute Exposure Guideline Level(s) (AEGL(s))

U.S. Environmental Protection Agency Federal Insecticide, Fungicide, and Rodenticide Act

U.S. Environmental Protection Agency High Production Volume Chemicals

Food Research Journal

Hazardous Substance Database

International Uniform Chemical Information Database (IUCLID)

National Institute of Technology and Evaluation (NITE)

Australia National Industrial Chemicals Notification and Assessment Scheme (NICNAS)

NIOSH (National Institute for Occupational Safety and Health)

National Library of Medicine's ChemID Plus (NLM CIP)

National Library of Medicine's PubMed database (NLM PUBMED)

U.S. National Toxicology Program (NTP)

New Zealand's Chemical Classification and Information Database (CCID)

Organization for Economic Co-operation and Development Environment, Health, and Safety Publications Organization for Economic Co-operation and Development High Production Volume Chemicals Program

Organization for Economic Co-operation and Development Screening Information Data Set

World Health Organization

Prepared By AIM Administrative Services Department.

Issuing Date22-Jan-2025Revision Date22-Jan-2025

Revision Note Revised to comply with OSHA GHS Revision 7 of 2024.

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the

date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.