



# SAFETY DATA SHEET

This safety data sheet was created pursuant to the requirements of:  
US OSHA Hazard Communication Standard (29 CFR 1910.1200)

Complies with OSHA GHS Revision 7 of 2024.

Issuing Date 23-Jan-2025

Revision Date 23-Jan-2025

Version 1

## 1. Identification

### Product identifier

**Product Name** Emulsion Non Fibrated Damp Proofing

### Other means of identification

**Product Code** AIM DP1

**Synonyms** SEALANT

### Recommended use of the chemical and restrictions on use

**Recommended Use** Used for reducing dampness and moisture infiltration through foundation walls, parapets, firewalls, tanks, culverts, cisterns, and bridge abutments.

**Restrictions on use** For exterior use only. Do not use indoors.

### Details of the supplier of the safety data sheet

#### Supplier Address

American Industrial Manufacturers of Building Materials  
W. Park Blvd  
Suite 306-366  
Plano, Texas 75093  
(214) 254-4720

### Emergency telephone number

**Company Phone Number** (214) 254-4720

**Emergency Telephone** Call CHEMTREC Day or Night:  
Within USA and Canada: 1-800 424-9300  
Outside USA and Canada: 1-703-527-3887

## 2. Hazard(s) identification

### Classification

Acute toxicity - Inhalation (Dusts/Mists)	Category 2
Carcinogenicity	Category 2

### Hazards not otherwise classified (HNOC)

Not applicable.

### Label elements



Danger

**Hazard statements**

Suspected of causing cancer.

**Precautionary Statements - Prevention**

Do not handle until all safety precautions have been read and understood.

Use only outdoors or in a well-ventilated area.

**Precautionary Statements - Response**

IF exposed or concerned: Get medical advice/attention.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

If eye irritation persists: Get medical advice/attention.

IF ON SKIN: Wash with plenty of soap and water.

If skin irritation occurs: Get medical advice/attention.

Get medical help if you feel unwell.

Rinse mouth.

IF SWALLOWED: Call a POISON CENTER or doctor if you feel unwell.

**Precautionary Statements - Storage**

Keep From Freezing.

**Precautionary Statements - Disposal**

Disposal should be in accordance with applicable local, regional, and national laws and regulations..

**Unknown acute toxicity**

5.59 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (dust/mist).

**Other Information**

May be harmful in contact with skin.

### 3. Composition/information on ingredients

**Substance**

Not applicable.

**Mixture**

**Common name** Asphalt Emulsion Damp Proofing.

**Synonyms** SEALANT.

**Chemical nature** Mixture of moisture reactive polymers, plasticizers and fillers.

Chemical name	CAS No.	Weight-%	Trade secret
Asphalt	8052-42-4	45-50	*
Bentonite	1302-78-9	1-5	*

\*The exact percentage (concentration) of composition has been withheld as a trade secret.

## 4. First-aid measures

### Description of first aid measures

<b>General advice</b>	No hazards which require special first aid measures. Immediate medical attention is not required. IF exposed or concerned: Get medical advice/attention.
<b>Inhalation</b>	No hazards which require special first aid measures. Immediate medical attention is not required. IF exposed or concerned: Get medical advice/attention.
<b>Eye contact</b>	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention if irritation develops and persists.
<b>Skin contact</b>	Wash skin with soap and water. If skin irritation or rash occurs: Get medical advice/attention.
<b>Ingestion</b>	Rinse mouth. Get medical attention if symptoms occur. Not an expected route of exposure.
<b>Self-protection of the first aider</b>	Ensure that medical personnel are aware of the material(s) involved, take precautions to protect themselves and prevent spread of contamination. Use personal protective equipment as required. See section 8 for more information.

### Most important symptoms and effects, both acute and delayed

<b>Symptoms</b>	None known.
<b>Effects of Exposure</b>	No information available.

### Indication of any immediate medical attention and special treatment needed

<b>Note to physicians</b>	Treat symptomatically.
---------------------------	------------------------

## 5. Fire-fighting measures

<b>Suitable Extinguishing Media</b>	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
<b>Unsuitable extinguishing media</b>	Do not scatter spilled material with high pressure water streams.
<b>Specific hazards arising from the chemical</b>	Non-combustible.
<b>Explosion data</b>	
<b>Sensitivity to mechanical impact</b>	None.
<b>Sensitivity to static discharge</b>	None.
<b>Special protective equipment and precautions for fire-fighters</b>	Use personal protection equipment.

## 6. Accidental release measures

### Personal precautions, protective equipment and emergency procedures

<b>Personal precautions</b>	Avoid contact with skin, eyes or clothing.
<b>For emergency responders</b>	Use personal protective equipment as required.

**Methods and material for containment and cleaning up**

<b>Methods for containment</b>	Prevent further leakage or spillage if safe to do so.
<b>Methods for cleaning up</b>	Pick up and transfer to properly labeled containers.
<b>Prevention of secondary hazards</b>	Clean contaminated objects and areas thoroughly observing environmental regulations.

**7. Handling and storage****Precautions for safe handling**

<b>Advice on safe handling</b>	Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin, eyes or clothing. Do not eat, drink or smoke when using this product. Take off contaminated clothing and wash before reuse.
--------------------------------	---

**Conditions for safe storage, including any incompatibilities**

<b>Storage Conditions</b>	Keep from freezing.
---------------------------	---------------------

**8. Exposure controls/personal protection****Control parameters**

<b>Exposure Limits</b>	No ACGIH or OSHA PEL is assigned to this mixture.  This product, as supplied, is not believed to contain any hazardous material that exceeds exposure limits established by OSHA.  Exposure limits for the component materials are shown below.
------------------------	---

Chemical name	ACGIH TLV	OSHA PEL	NIOSH
Asphalt 8052-42-4	TWA: 0.5 mg/m <sup>3</sup> Benzene-soluble aerosol fume, inhalable particulate matter	-	Ceiling: 5 mg/m <sup>3</sup> fume 15 min
Bentonite 1302-78-9	TWA: 1 mg/m <sup>3</sup> respirable particulate matter	-	-

**Biological occupational exposure limits**

Chemical name	ACGIH
Asphalt 8052-42-4	2.5 µg/L - urine (1-Hydroxypyrene with hydrolysis) - end of shift at end of workweek

**Appropriate engineering controls**

<b>Engineering controls</b>	None under normal use conditions.
-----------------------------	-----------------------------------

**Individual protection measures, such as personal protective equipment**

<b>Eye/face protection</b>	Avoid contact with eyes.
<b>Hand protection</b>	Wear suitable gloves.

<b>Skin and body protection</b>	Long sleeved clothing.
<b>Respiratory protection</b>	No protective equipment is needed under normal use conditions. If exposure limits are exceeded or irritation is experienced, ventilation and evacuation may be required.
<b>General hygiene considerations</b>	Avoid contact with skin, eyes or clothing. Do not eat, drink or smoke when using this product. Remove and wash contaminated clothing and gloves, including the inside, before re-use. Regular cleaning of equipment, work area and clothing is recommended. Wash hands before breaks and immediately after handling the product.

## 9. Physical and chemical properties

### Information on basic physical and chemical properties

<b>Physical state</b>	Liquid
<b>Appearance</b>	Viscous
<b>Color</b>	Black
<b>Odor</b>	Low
<b>Odor threshold</b>	Negligible odor.

<u>Property</u>	<u>Values</u>	<u>Remarks • Method</u>
<b>pH</b>	Not applicable	7.0
<b>pH (as aqueous solution)</b>		None known
<b>Melting point/freezing point</b>	None / 0 None / 32	Melting Point is not applicable. Freezing points are shown.
<b>Boiling point / boiling range</b>	> 100 °C / 212 °F	
<b>Flash point</b>	Not applicable	Non Flammable
<b>Evaporation rate</b>	The evaporation rate of the water component of this emulsion product is dependent upon: 1) The temperature of the water at the air-water surface; 2) The humidity of the air; 3) The area of the air-water surface; 4) The temperature of the air.	No data available. Evaporation rate is dependent upon atmospheric conditions.
<b>Flammability (solid, gas)</b>	Non Flammable	
<b>Flammability Limit in Air</b>		Not flammable
<b>Upper flammability limit:</b>	Not applicable	
<b>Lower flammability limit:</b>	Not applicable	
<b>Vapor pressure</b>	2.33 (kPa)	@ 20 °C
<b>Vapor density</b>	5.3	Where: Air = 1 at 68 degrees F (20 degrees C)
<b>Relative density</b>	1.06	Water = 1g/ml
<b>Water solubility</b>	No data available Dispersible	Reacts with water to form carbon dioxide
<b>Solubility(ies)</b>	No data available.	Insoluable
<b>Partition coefficient</b>	No data available.	No data available.
<b>Autoignition temperature</b>	330 °C / 626 °F	
<b>Decomposition temperature</b>		
<b>Kinematic viscosity</b>		
<b>Dynamic viscosity</b>	No data available.	@ 25 °C
<b>Other information</b>		
<b>Explosive properties</b>	No information available	
<b>Oxidizing properties</b>	No information available	
<b>Softening point</b>	Not applicable	
<b>Molecular weight</b>	N/A	
<b>VOC Content (%)</b>	Less than 50 g/l	
<b>Density</b>	8.7 to 9.1 lb./gal	
<b>Bulk density</b>	Not applicable	

## 10. Stability and reactivity

<b>Reactivity</b>	No information available.
<b>Chemical stability</b>	Stable under normal conditions.
<b>Possibility of hazardous reactions</b>	None under normal processing.
<b>Hazardous polymerization</b>	Hazardous polymerization does not occur.
<b>Conditions to avoid</b>	Excessive heat.
<b>Incompatible materials</b>	None known based on information supplied.
<b>Hazardous decomposition products</b>	Combustion may produce carbon monoxide, carbon dioxide, and other asphyxiants.

## 11. Toxicological information

### Information on likely routes of exposure

<b>Product Information</b>	The IARC Monograph (Vol. 103, 2013, Bitumen and Bitumen Emissions) defines Asphalt as 'Group 2B, Possible Carcinogen to Humans'. This definition is based on studies of exposure to Asphalt fumes at elevated temperatures. The Monograph states that temperature plays an important role in determining the degree of exposure and also the carcinogenic potential of bitumen emissions. This same Monograph states that Asphalt is non volatile at ambient temperature. There is no data presented in the Monograph to demonstrate that Asphalt at ambient temperature is considered a carcinogen. Since the normal use of this product is at ambient temperature, the Asphalt used in this product is not listed as a carcinogen. No other national or international agency has defined Asphalt as a carcinogen.
<b>Inhalation</b>	Specific test data for the substance or mixture is not available. Fatal if inhaled. (based on components).
<b>Eye contact</b>	Specific test data for the substance or mixture is not available.
<b>Skin contact</b>	May be harmful in contact with skin.
<b>Ingestion</b>	Specific test data for the substance or mixture is not available.

### Symptoms related to the physical, chemical and toxicological characteristics

<b>Symptoms</b>	Coughing and/ or wheezing. Difficulty in breathing.
-----------------	---

<b><u>Acute toxicity</u></b>	Fatal if inhaled.
------------------------------	-------------------

### **Numerical measures of toxicity**

The following values are calculated based on chapter 3.1 of the GHS document

<b>ATEmix (oral)</b>	10,040.20 mg/kg
<b>ATEmix (dermal)</b>	4,366.80 mg/kg
<b>ATEmix (inhalation-gas)</b>	99,999.00 ppm
<b>ATEmix (inhalation-vapor)</b>	99,999.00 mg/l
<b>ATEmix (inhalation-dust/mist)</b>	0.206 mg/l

### **Unknown acute toxicity**

5.59 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (dust/mist)

### **Component Information**

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Asphalt	> 5000 mg/kg ( Rat )	> 2000 mg/kg ( Rabbit )	> 94.4 mg/m <sup>3</sup> ( Rat ) 4.5 h

8052-42-4			
Bentonite 1302-78-9	> 5000 mg/kg ( Rat )	-	-

**Delayed and immediate effects as well as chronic effects from short and long-term exposure**

**Skin corrosion/irritation** No information available.

**Serious eye damage/eye irritation** No information available.

**Respiratory or skin sensitization** No information available.

**Germ cell mutagenicity** No information available.

**Carcinogenicity** Contains a known or suspected carcinogen. Classification based on data available for ingredients. Suspected of causing cancer.

The table below indicates whether each agency has listed any ingredient as a carcinogen.

Chemical name	ACGIH	IARC	NTP	OSHA
Asphalt 8052-42-4	-	Group 2B	-	X

**Legend**

**IARC (International Agency for Research on Cancer)**

Group 2B - Possibly Carcinogenic to Humans

**Occupational Safety and Health Administration of the US Department of Labor**

X - Present

**Reproductive toxicity** No information available.

**Developmental Toxicity** None known for product as a whole.

**Teratogenicity** None known.

**STOT - single exposure** No information available.

**STOT - repeated exposure** No information available.

**Target organ effects** Respiratory system, Eyes, Skin.

**Aspiration hazard** No information available.

**Other adverse effects** N/A.

**Interactive effects** No information available.

**12. Ecological information**

**Ecotoxicity** Toxicological testing has not been performed for this product overall. Available toxicological data for individual ingredients is summarized below.

Chemical name	Algae/aquatic plants	Fish	Toxicity to microorganisms	Crustacea
Bentonite 1302-78-9	-	LC50: =19000mg/L (96h, Oncorhynchus mykiss)	-	-

**Persistence and degradability** N/A.

#### Bioaccumulation

#### Component Information

Chemical name	Partition coefficient
Asphalt 8052-42-4	6

**Other adverse effects** No information available.

### 13. Disposal considerations

#### Waste treatment methods

**Waste from residues/unused products** Dispose of in accordance with local regulations.

**Contaminated packaging** Do not reuse empty containers.

### 14. Transport information

**Note:** This material is not subject to regulation as a hazardous material for shipping

**DOT** Not regulated.

**TDG** Not regulated.

**MEX** Not regulated.

**ICAO (air)** Not regulated.

**IATA** Not regulated.

**IMDG** Not regulated.

### 15. Regulatory information

#### International Inventories

**TSCA** All of the components of this product are listed on the US TSCA (Toxic Substances Control Act) Inventory or are exempt.

Chemical name	CAS No.	Inventory Listing Status	Commercial Activity Designation
Water	7732-18-5	Present	Active

Chemical name	CAS No.	Inventory Listing Status	Commercial Activity Designation
Asphalt	8052-42-4	Present	Active
Bentonite	1302-78-9	Present	Active

**DSL/NDSL**  
**EINECS/ELINCS**  
**TCSI**

All of the components of this product are listed on the DSL.  
 All components are listed.  
 Contact supplier for inventory compliance status.

**Legend:**

**TSCA** - United States Toxic Substances Control Act Section 8(b) Inventory  
**DSL/NDSL** - Canadian Domestic Substances List/Non-Domestic Substances List  
**EINECS/ELINCS** - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances  
**ENCS** - Japan Existing and New Chemical Substances  
**IECSC** - China Inventory of Existing Chemical Substances  
**KECL** - Korean Existing and Evaluated Chemical Substances  
**PICCS** - Philippines Inventory of Chemicals and Chemical Substances  
**AICS** - Australian Inventory of Chemical Substances  
**NZIoC** - New Zealand Inventory of Chemicals  
**TCSI** - Taiwan Chemical Substance Inventory

**US Federal Regulations**

**SARA 313**

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

**SARA 311/312 Hazard Categories**

Should this product meet EPCRA 311/312 Tier reporting criteria at 40 CFR 370, refer to Section 2 of this SDS for appropriate classifications.

**CWA (Clean Water Act)**

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42).

**CERCLA**

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material.

**US State Regulations**

**California Proposition 65**

This product does not contain any Proposition 65 chemicals.

**U.S. State Right-to-Know Regulations**

Chemical name	New Jersey	Massachusetts	Pennsylvania
Water 7732-18-5	-	-	X
Asphalt 8052-42-4	X	X	X

**U.S. EPA Label Information**

**EPA Pesticide Registration Number** Not applicable

**16. Other information**

<b>NFPA</b>	<b>Health hazards</b> 4	<b>Flammability</b> 1	<b>Instability</b> 0	<b>Special hazards</b> -
<b>HMIS</b>	<b>Health hazards</b> 4 *	<b>Flammability</b> 1	<b>Physical hazards</b> 0	<b>Personal protection</b> -
<i>Chronic Hazard Star Legend                      * = Chronic Health Hazard</i>				

**Key or legend to abbreviations and acronyms used in the safety data sheet**

**Legend**

SVHC: Substances of Very High Concern for Authorization:  
PBT: Persistent, Bioaccumulative, and Toxic (PBT) Substances  
vPvB: Very Persistent and very Bioaccumulative (vPvB) Substances  
STOT: Specific Target Organ Toxicity  
ATE: Acute Toxicity Estimate  
LC50: 50% Lethal Concentration  
LD50: 50% Lethal Dose

**Legend Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION**

TWA	TWA (time-weighted average)	STEL	STEL (Short Term Exposure Limit)
Ceiling	Maximum limit value	*	Skin designation
+	Sensitizers		

**Key literature references and sources for data used to compile the SDS**

Agency for Toxic Substances and Disease Registry (ATSDR)  
U.S. Environmental Protection Agency ChemView Database  
European Food Safety Authority (EFSA)  
Environmental Protection Agency  
Acute Exposure Guideline Level(s) (AEGL(s))  
U.S. Environmental Protection Agency Federal Insecticide, Fungicide, and Rodenticide Act  
U.S. Environmental Protection Agency High Production Volume Chemicals  
Food Research Journal  
Hazardous Substance Database  
International Uniform Chemical Information Database (IUCLID)  
National Institute of Technology and Evaluation (NITE)  
Australia National Industrial Chemicals Notification and Assessment Scheme (NICNAS)  
NIOSH (National Institute for Occupational Safety and Health)  
National Library of Medicine's ChemID Plus (NLM CIP)  
National Library of Medicine's PubMed database (NLM PUBMED)  
U.S. National Toxicology Program (NTP)  
New Zealand's Chemical Classification and Information Database (CCID)  
Organization for Economic Co-operation and Development Environment, Health, and Safety Publications  
Organization for Economic Co-operation and Development High Production Volume Chemicals Program  
Organization for Economic Co-operation and Development Screening Information Data Set  
World Health Organization

**Prepared By** AIM Administrative Services Department.  
**Issuing Date** 23-Jan-2025  
**Revision Date** 23-Jan-2025  
**Revision Note** Revised to comply with OSHA GHS Revision 7 of 2024.  
**Disclaimer**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.